



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
999 18TH STREET - SUITE 300
DENVER, CO 80202-2466
Phone 800-227-8917
<http://www.epa.gov/region08>

September 9, 2003

Ref: 8ENF-T

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Don Koskelin, Public Works Director
City of Alamosa
P.O. Box 419
Alamosa, Colorado 81101

Re: Order for Compliance,
Docket No. CWA-08-2003-46

Dear Mr. Koskelin:

On April 28, 2003, the U.S. Environmental Protection Agency (EPA) issued an Order for Compliance (Docket Number CWA-08-2003-46) to the City of Alamosa, (hereinafter, "Alamosa"). This Order required Alamosa to comply with the provisions of 40 C.F.R. § 122.21 and 33.U.S.C. § 402(a) and submit a Notice of Intent ("NOI") to be covered under the EPA general biosolids permit.

Alamosa has complied with all provisions of the Order. Therefore, for administrative purposes, the file on the Order (Docket Number CWA-08-2003-46) is considered closed as of the date of this letter.

If you have any questions, the most knowledgeable person on my staff regarding this letter is Darcy O'Connor, Technical Enforcement Program, who can be reached at (303) 312-6392.

Sincerely,

SIGNED

Carol Rushin
Assistant Regional Administrator
Office of Enforcement, Compliance
and Environmental Justice

cc: Dave Akers, CDPHE
Wes Carr, CDPHE

**THIS DOCUMENT WAS FILED IN THE REGIONAL HEARING CLERK'S OFFICE
ON SEPTEMBER 9, 2003.**



Printed on Recycled Paper

bcc: Darcy O'Connor, 8ENF-T
Elyana Sutin, 8ENF-L
Tina Artemis, 8RC
Sandy Johnson, 8ENF-PT
Brenda Cazier, 8ENF-PT

Addresses:

Dave Akers
Water Quality Control Division
Colorado Department of Public Health & Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530

Wes Carr
Water Quality Control Division
Colorado Department of Public Health & Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530